

TrackMan Golf

Multi Group Report

Simon Cornwell

24 Apr 2014

Clubs: **6i, Driver**

Ball: **Medium**



In this report

Dispersion	01
Trajectory	02
Averages	03
Shot Details	04-05

Dispersion

Simon Cornwell | 24 Apr 2014

01




Note: Data are normalized to no wind conditions at 0 ft altitude, 77 F with a Premium ball.

Trajectory

Simon Cornwell | 24 Apr 2014

02



Note: Data are normalized to no wind conditions at 0 ft altitude, 77 F with a Premium ball.

Averages

Simon Cornwell | 24 Apr 2014

03

	CLUB SPEED mph	SWING DIR. deg	ATTACK ANG. deg	CLUB PATH deg	LAUNCH DIR. deg	FACE ANG. deg	FACE TO PATH deg	SPIN AXIS deg	SWING PL. deg	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	HEIGHT ft	LAND. ANG. deg	CARRY yds	TOTAL yds	DYN. LOFT deg	SPIN LOFT deg	SIDE ft
6i	93.0	-3.0	-4.0	-0.2	0.6	0.9	1.1	-1.2	55.7	1.37	127.1	15.3	5971	98.8	47.5	180.5	188.4	20.0	24.1	0.5L
Driver	108.3	2.3	-0.1	2.4	1.7	1.6	-0.8	1.7	48.5	1.46	157.6	12.9	2914	110.9	41.5	260.5	279.7	14.7	15.3	39.5R

Note: Data are normalized to no wind conditions at 0 ft altitude, 77 F with a Premium ball.

Shot Details

Simon Cornwell | 24 Apr 2014

04

6i

STROKE NO	CLUB SPEED mph	SWING DIR. deg	ATTACK ANG. deg	CLUB PATH deg	LAUNCH DIR. deg	FACE ANG. deg	FACE TO PATH deg	SPIN AXIS deg	SWING PL. deg	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	HEIGHT ft	LAND. ANG. deg	CARRY yds	TOTAL yds	DYN. LOFT deg	SPIN LOFT deg	SIDE ft
1	94.3	-2.8	-3.9	-0.3	1.4	1.8	2.1	-1.1	56.7	1.36	127.9	15.7	6287	103.4	48.8	180.3	187.1	20.6	24.6	7.0R
2	93.9	-2.0	-3.9	0.7	1.7	1.9	1.3	-1.3	55.3	1.37	128.6	16.5	6363	109.3	50.1	180.7	186.7	21.5	25.4	8.5R
3	92.9	-3.4	-4.6	-0.3	1.0	1.4	1.7	-0.1	56.9	1.37	126.9	15.5	6150	100.5	48.1	179.5	186.8	20.4	25.1	9.0R
4	93.7	-4.8	-4.6	-1.6	0.9	1.6	3.2	1.0	55.8	1.34	125.9	16.1	6427	102.0	48.8	176.5	183.0	21.2	26.1	13.8R
5	94.2	-3.8	-3.9	-1.1	0.9	1.5	2.6	1.8	55.2	1.37	128.9	15.1	6487	102.2	48.6	180.9	187.5	20.1	24.2	18.9R
6	93.8	-4.5	-5.0	-0.9	0.6	1.1	2.0	0.2	55.1	1.36	128.1	15.6	6348	103.6	48.9	180.3	186.9	20.6	25.7	7.2R
7	95.3	-3.5	-4.8	-0.3	1.6	2.1	2.4	-0.8	56.5	1.37	130.7	14.8	6302	103.9	48.7	184.6	191.5	19.6	24.5	10.9R
8	94.5	-3.8	-4.1	-0.9	3.8	5.2	6.1	6.7	55.3	1.29	122.1	17.7	6775	102.1	49.4	168.8	174.4	23.2	28.1	67.6R
9	93.2	-4.2	-4.5	-1.2	-0.8	-0.7	0.5	-1.8	56.5	1.32	122.9	15.0	5406	88.4	45.0	176.4	186.2	19.4	23.9	16.0L
10	94.0	-4.8	-5.0	-1.6	1.1	1.9	3.4	2.8	57.2	1.36	128.2	15.2	6904	101.6	48.8	178.2	184.1	20.6	25.7	25.4R
11	94.6	-3.8	-4.4	-0.8	0.7	1.1	1.9	1.7	55.2	1.38	130.8	15.5	5914	107.6	49.1	186.7	193.9	20.0	24.5	16.5R
12	92.3	-1.0	-3.4	1.4	2.1	2.3	1.0	-2.1	55.1	1.38	127.4	16.6	5810	107.2	49.3	181.8	189.0	21.2	24.7	8.7R
13	92.7	-3.1	-3.3	-0.8	-0.2	0.0	0.8	-2.9	54.9	1.37	127.0	15.8	5708	101.1	47.9	181.8	189.9	20.3	23.6	17.5L
14	92.2	-2.3	-3.5	0.1	-0.7	-0.9	-1.0	-5.9	55.3	1.40	128.6	14.5	5517	96.5	46.4	185.3	194.6	18.9	22.3	39.2L
15	93.6	-1.0	-3.4	1.4	0.6	0.4	-1.0	-4.8	54.7	1.38	128.9	13.8	5685	93.5	45.9	184.8	194.1	18.3	21.6	20.1L
16	91.5	-0.2	-1.1	0.6	1.4	1.7	1.1	1.4	55.5	1.31	120.2	14.4	5580	80.6	43.3	170.5	180.8	19.0	20.2	19.1R
17	91.8	-2.2	-4.0	0.5	0.9	1.0	0.5	-4.3	55.6	1.40	128.3	16.0	5734	104.8	48.6	183.7	191.4	20.5	24.4	15.6L
18	93.5	-1.7	-3.4	0.6	1.2	1.3	0.7	-0.5	55.7	1.38	129.0	15.7	6014	105.6	49.0	183.3	190.4	20.4	23.8	8.6R
19	92.4	-3.8	-4.0	-1.0	1.4	2.1	3.0	2.3	54.8	1.35	125.1	15.6	6177	97.4	47.6	176.4	183.9	20.6	24.8	24.8R
20	91.9	-2.2	-4.8	1.1	1.7	1.9	0.8	1.3	55.4	1.37	125.6	15.4	5934	96.9	47.2	178.4	186.5	20.1	25.0	23.3R
21	92.3	-3.7	-3.5	-1.4	-1.3	-1.3	0.0	-2.4	55.7	1.36	125.3	15.4	5638	95.6	46.7	179.3	188.2	19.9	23.4	25.2L
22	92.5	-2.4	-4.5	0.6	1.2	1.3	0.7	1.5	56.0	1.37	126.8	15.7	6058	100.9	48.2	179.8	187.2	20.5	25.0	19.2R
23	93.0	-3.2	-4.1	-0.3	0.7	0.9	1.3	0.2	54.5	1.34	124.2	14.8	5808	90.9	45.8	176.7	185.4	19.5	23.6	7.1R
24	91.9	-3.2	-2.2	-1.6	-1.0	-0.8	0.7	-4.9	54.2	1.39	127.5	14.7	5448	95.3	46.2	184.0	193.5	19.0	21.2	35.9L
25	92.8	3.6	-2.2	5.1	2.1	1.2	-3.9	-12.1	55.2	1.33	123.8	14.7	5222	85.6	43.7	177.9	188.7	18.9	21.5	40.2L
26	93.0	-9.9	-5.1	-6.6	-4.5	-3.9	2.7	1.6	57.7	1.32	123.0	16.2	6364	96.6	47.8	172.2	179.3	21.4	26.7	32.4L
27	93.3	-2.8	-3.9	-0.2	0.0	0.0	0.2	-2.6	56.6	1.35	125.6	15.6	5625	97.7	47.1	180.1	188.7	20.1	24.1	13.9L
28	93.5	-3.4	-3.9	-0.6	-1.1	-1.2	-0.7	-4.8	53.9	1.37	128.3	13.8	6050	92.8	46.1	181.9	190.1	18.5	22.5	36.2L
29	93.0	-2.6	-4.1	0.3	-2.4	-3.1	-3.4	-8.0	55.4	1.40	129.7	13.3	5463	91.0	44.9	187.1	196.9	17.5	21.9	66.9L
30	91.3	-1.4	-3.4	1.0	1.8	2.0	1.0	-1.2	54.9	1.39	126.8	16.5	6067	105.6	49.2	179.5	186.3	21.3	24.8	10.3R
31	92.9	-1.2	-4.7	1.9	1.5	1.3	-0.5	0.4	56.3	1.39	128.9	15.2	5732	101.9	47.9	184.9	193.0	19.6	24.3	16.5R
32	92.8	-3.0	-4.8	0.1	1.1	1.4	1.3	-1.0	57.0	1.39	128.7	15.0	6000	100.8	47.9	183.0	190.7	19.7	24.6	5.4R
33	94.1	-3.7	-4.3	-0.8	-0.4	-0.2	0.5	-1.8	55.5	1.35	126.9	12.6	5917	83.7	43.8	179.9	189.5	17.3	21.6	12.8L
34	91.6	-2.9	-4.3	-0.2	2.5	3.2	3.4	2.6	57.4	1.39	127.0	16.4	6367	105.8	49.5	178.4	184.6	21.5	26.0	37.8R
35	92.3	-3.5	-4.8	-0.5	0.6	0.9	1.3	-2.6	57.7	1.39	128.7	15.0	5808	100.4	47.6	184.1	192.2	19.5	24.3	8.9L
36	93.5	-3.3	-5.6	0.5	2.5	3.1	2.6	0.8	56.0	1.39	129.5	14.2	6198	98.0	47.4	183.4	191.0	19.0	24.7	28.8R
37	92.2	-4.4	-4.4	-1.4	1.6	2.3	3.7	1.0	56.0	1.40	129.2	15.9	6112	107.1	49.3	183.1	189.9	20.6	25.3	20.5R
38	92.6	-3.4	-2.6	-1.6	-2.7	-3.1	-1.5	-4.0	55.7	1.35	124.8	14.6	5639	90.3	45.4	178.4	187.6	19.1	21.8	45.6L
39	93.7	-2.2	-4.0	0.5	0.7	0.8	0.2	-2.6	55.6	1.40	131.0	15.1	5814	105.4	48.5	187.6	195.3	19.5	23.5	7.6L
Average	93.0	-3.0	-4.0	-0.2	0.6	0.9	1.1	-1.2	55.7	1.37	127.1	15.3	5971	98.8	47.5	180.5	188.4	20.0	24.1	0.5L
Consistency	0.9	1.9	0.9	1.6	1.5	1.8	1.8	3.3	0.9	0.03	2.4	1.0	374	6.8	1.7	4.2	4.5	1.1	1.6	26.4R

Note: Data are normalized to no wind conditions at 0 ft altitude, 77 F with a Premium ball.

Shot Details

Simon Cornwell | 24 Apr 2014

05

Driver

STROKE NO	CLUB SPEED mph	SWING DIR. deg	ATTACK ANG. deg	CLUB PATH deg	LAUNCH DIR. deg	FACE ANG. deg	FACE TO PATH deg	SPIN AXIS deg	SWING PL. deg	SMASH FAC.	BALL SPEED mph	LAUNCH ANG. deg	SPIN RATE rpm	HEIGHT ft	LAND. ANG. deg	CARRY yds	TOTAL yds	DYN. LOFT deg	SPIN LOFT deg	SIDE ft
1	108.8	1.9	-0.1	2.0	2.8	3.0	1.0	8.2	48.7	1.46	158.8	15.6	3058	139.1	47.2	265.6	279.3	17.5	17.6	101.4R
2	108.7	2.1	1.2	1.1	2.6	2.8	1.8	-4.7	48.4	1.48	160.5	12.0	2552	100.4	38.2	270.8	293.3	13.5	12.5	6.6R
3	108.7	4.2	-0.5	4.6	1.3	0.8	-3.8	0.2	49.4	1.48	161.3	11.2	2994	106.1	40.9	268.3	287.1	13.0	14.0	20.2R
4	108.2	3.5	-0.8	4.2	1.4	0.7	-3.5	5.4	48.4	1.44	156.1	9.7	3821	100.5	42.5	246.9	262.3	12.0	13.3	56.5R
5	107.9	6.1	1.5	4.7	-2.5	-3.6	-8.4	-8.6	49.5	1.48	159.7	10.1	2634	84.2	34.7	262.9	288.1	11.4	12.9	86.1L
6	108.0	0.1	-1.0	1.0	-1.8	-2.2	-3.2	-3.1	48.4	1.46	157.9	12.2	2255	92.0	35.6	266.3	292.3	13.6	15.0	43.3L
7	109.1	1.2	-2.0	2.9	6.6	7.0	4.1	5.0	48.4	1.41	153.6	15.2	2446	114.2	41.3	262.8	282.9	16.8	19.3	121.1R
8	109.0	0.5	1.2	-0.6	0.4	0.6	1.2	5.3	47.8	1.47	159.9	12.2	3321	119.0	44.5	262.6	277.8	14.3	13.2	45.1R
9	108.9	2.6	0.7	2.0	4.1	4.6	2.6	8.6	47.5	1.46	159.3	14.2	3765	141.0	49.5	254.6	265.3	16.6	16.2	124.1R
10	107.4	6.3	-0.2	6.5	0.6	-0.2	-6.7	2.4	50.4	1.46	157.0	11.3	2814	95.9	38.4	260.8	282.2	12.9	14.7	23.7R
11	108.5	3.1	0.1	3.1	5.2	5.4	2.3	-1.7	48.2	1.46	158.3	14.4	2233	111.1	39.6	273.2	295.5	15.8	16.0	63.9R
12	107.4	0.7	-2.1	2.5	3.4	3.5	1.0	-6.6	47.7	1.42	152.3	12.8	1478	73.3	29.4	249.1	285.8	13.8	15.9	19.9R
13	108.3	2.8	3.7	-0.6	0.2	0.4	0.9	7.6	47.6	1.46	157.9	13.0	3692	127.6	47.2	253.6	266.1	15.3	11.6	60.2R
14	107.9	0.9	-1.4	2.2	4.1	4.3	2.1	8.7	47.6	1.42	153.7	17.0	2881	137.4	46.8	258.9	273.2	18.9	20.4	116.3R
15	107.7	-1.0	-1.6	0.3	-2.6	-3.1	-3.4	-0.4	49.4	1.46	157.3	12.1	3767	122.3	46.6	251.7	264.5	14.5	16.4	36.7L
Average	108.3	2.3	-0.1	2.4	1.7	1.6	-0.8	1.7	48.5	1.46	157.6	12.9	2914	110.9	41.5	260.5	279.7	14.7	15.3	39.5R
<i>Consistency</i>	0.5	2.0	1.5	2.0	2.7	3.0	3.6	5.6	0.8	0.02	2.6	2.0	657	19.7	5.4	7.7	10.8	2.0	2.4	60.8R

Note: Data are normalized to no wind conditions at 0 ft altitude, 77 F with a Premium ball.